


MLK AM Northbound Transit Service Capacity Used (Obey Creek TIA Projections)



NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).
 Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.
 Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.

MLK AM Southbound Transit Service Capacity Used (Obey Creek TIA Projections)




NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).

Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.


Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.

MLK Noon Northbound Transit Service Capacity Used (Obey Creek TIA Projections)




NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).
 Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.
 Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.

MLK Noon Southbound Transit Service Capacity Used (Obey Creek TIA Projections)



NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).
 Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.
 Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.

MLK PM Northbound Transit Service Capacity Used (Obey Creek TIA Projections)



NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).
 Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.
 Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.

MLK PM Southbound Transit Service Capacity Used (Obey Creek TIA Projections)



NOTE: Projected ridership based on Obey Creek TIA (HNTB, 2014).
 Service Capacity = 80% of maximum loading capacity threshold. Maximum loading capacity = 80% of maximum load capacity.
 Maximum Load Capacity = Maximum allowed passenger load. Graduated symbols have been standardized to allow for comparison of maps.