






## OVERALL SITE PLAN



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016





## SITE PLAN



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016



# MASONRY

## BRICK

SIMILAR OR EQUAL TO:  
**MISSION ROSE**  
 STATESVILLE BRICK CO



SIMILAR OR EQUAL TO:  
**SILASTOWN**  
 NASH BRICK CO




SIMILAR OR EQUAL TO:  
**MILLSTONE**  
 PINE HALL BRICK CO



## CAST STONE

SIMILAR OR EQUAL TO:  
**LIMESTONE**  
 RENAISSANCE BY ARISCRAFT




# SECONDARY

## CEMENTITIOUS LAP

**SCHEME A - GRAY**  
 SW 7071




SW 7072



**SCHEME B - BEIGE**  
 SW 6148



SW 6150




## STUCCO

**SCHEME A - GRAY**  
 SW 9162



SW 7072



**SCHEME B - BEIGE**  
 SW 6149




SW 9117




## BOARD & BATTEN + SPANDRELS

**GRAY**  
 SW 9162




**BEIGE**  
 SW 6149



## TRIM

OFF WHITE



# ACCENTS



### METAL ROOF


SIMILAR OR EQUAL TO:  
**DARK BRONZE**  
 ATA INTERNATIONAL



**STOREFRONT, SLIDING GLASS DOORS & PATIO DOOR**  
 DARK BRONZE



**BALCONY PROJECTIONS, CANOPIES, RAILS, & COPING**  
 DARK BRONZE




### VINYL WINDOWS

SIMILAR OR EQUAL TO:  
**DESERT SAND**  
 JELD-WEN WINDOW & DOOR CO

NOTE: COLOR PALETTE REFERENCE SHERWIN WILLIAMS COLORS AND SELECTIONS SHALL BE SIMILAR TO COLORS NOTED ABOVE, SUBJECT TO SELECTION OF PAINT SUPPLIER

# MATERIALS, TEXTURES, AND COLORS LIST

**STUCCO**  
SCHEME B



**METAL ROOF**  
DARK BRONZE




**BRICK**  
MISSON ROSE



**BRICK**  
SILASTOWN



**CEMENTITIOUS LAP**  
SCHEME B



**KEY PLAN**




**BUILDING 1 - SOUTH ELEVATION / BUILDING 4 - NORTH ELEVATION (SIMILAR)**


**BRICK**  
MISSON ROSE



**CEMENTITIOUS LAP**  
SCHEME B





**STUCCO**  
SCHEME B




**BRICK**  
SILASTOWN



**BOARD & BATTEN**  
SCHEME B



**KEY PLAN**



**BUILDING 1 & 4 - WEST ELEVATION / EAST ELEVATION**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 1 - NORTH ELEVATION**

**BRICK**  
MISSON ROSE





**CEMENTITIOUS LAP**  
SCHEME B



**BRICK**  
SILASTOWN



**BOARD & BATTEN**  
SCHEME B




**KEY PLAN**



**BUILDING 4 - SOUTH ELEVATION**



**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE




**CEMENTITIOUS LAP**  
SCHEME A




**BRICK**  
SILASTOWN



**METAL ROOF**  
DARK BRONZE




**KEY PLAN**



**BUILDING 2 - WEST ELEVATION**

STUCCO  
SCHEME A




CEMENTITIOUS LAP  
SCHEME A




BRICK  
MISSON ROSE



BRICK  
SILASTOWN



KEY PLAN



## BUILDING 2 - NORTH ELEVATION


**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE



**BRICK**  
SILASTOWN



**KEY PLAN**



**BUILDING 2 - EAST ELEVATION**


**METAL ROOF**  
DARK BRONZE




**BRICK**  
MISSON ROSE




**STUCCO**  
SCHEME A



**CAST STONE**  
LIMESTONE



**BRICK**  
SILASTOWN



**KEY PLAN**



**BUILDING 2 - SOUTH ELEVATION**

**BRICK**  
MISSON ROSE



**BRICK**  
SILASTOWN




**CAST STONE**  
LIMESTONE



**STUCCO**  
SCHEME A



**METAL ROOF**  
DARK BRONZE



**KEY PLAN**



**BUILDING 3 - SOUTH ELEVATION**

**BRICK**  
SILASTOWN





**STUCCO**  
SCHEME A




**BRICK**  
MISSON ROSE



**CAST STONE**  
LIMESTONE



**KEY PLAN**



**BUILDING 3 - WEST ELEVATION**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016



**METAL ROOF**  
DARK BRONZE



**BRICK**  
SILASTOWN




**CEMENTITIOUS LAP**  
SCHEME A




**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE



**KEY PLAN**



**BUILDING 3 - NORTH ELEVATION**

**METAL ROOF**  
DARK BRONZE




**BRICK**  
SILASTOWN




**CEMENTITIOUS LAP**  
SCHEME A



**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE



**KEY PLAN**



**BUILDING 3 - EAST ELEVATION**





**BRICK**  
SILASTOWN



**BRICK**  
MISSON ROSE



**STUCCO**  
SCHEME A



**KEY PLAN**



**BUILDING 5 - NORTH ELEVATION**


**BRICK**  
SILASTOWN





**BRICK**  
MISSION ROSE



**BOARD & BATTEN**  
SCHEME A



**STUCCO**  
SCHEME A



**KEY PLAN**



**BUILDING 5 - WEST ELEVATION**


**METAL ROOF**  
DARK BRONZE




**BRICK**  
SILASTOWN



**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE



**KEY PLAN**



**BUILDING 5 - SOUTH ELEVATION**

**BRICK**  
MISSON ROSE




**STUCCO**  
SCHEME A



**BRICK**  
SILASTOWN



**METAL ROOF**  
DARK BRONZE



**KEY PLAN**



**BUILDING 6 - SOUTH ELEVATION**


**METAL ROOF**  
DARK BRONZE




**BRICK**  
MISSION ROSE



**BOARD & BATTEN**  
SCHEME A



**BRICK**  
SILASTOWN



**KEY PLAN**



**BUILDING 6 - EAST ELEVATION**

**METAL ROOF**  
DARK BRONZE




**STUCCO**  
SCHEME A



**BRICK**  
SILASTOWN



**BRICK**  
MISSION ROSE



**KEY PLAN**



**BUILDING 6 - NORTH ELEVATION**


**STUCCO**  
SCHEME A



**BRICK**  
MISSION ROSE



**BRICK**  
SILASTOWN




**KEY PLAN**



**BUILDING 6 - WEST ELEVATION**


**BRICK**  
SILASTOWN



**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE




**KEY PLAN**



**BUILDING 5 - EAST ELEVATION**




**BOARD & BATTEN**  
SCHEME A



**BRICK**  
MISSON ROSE



**BRICK**  
SILASTOWN




**KEY PLAN**




**BUILDING 9 - FRONT ELEVATION (BUILDING 7 & 8 - SIMILAR)**


**BOARD & BATTEN**  
SCHEME A



**STUCCO**  
SCHEME A



**BRICK**  
MISSON ROSE



**KEY PLAN**




**BUILDING 9 - REAR ELEVATION (BUILDING 7 & 8 - SIMILAR)**

STUCCO  
SCHEME A



BRICK  
MISSION ROSE



KEY PLAN




**BUILDING 9 - SIDE ELEVATION (BUILDING 7 & 8 - SIMILAR)**

**BRICK**  
SILASTOWN




**BRICK**  
MILLSTONE



**BOARD & BATTEN**  
SCHEME B



**BRICK**  
SILASTOWN (RUSTIC PATTERN)



**KEY PLAN**




**BUILDING 10 - FRONT ELEVATION (BUILDING 11 - SIMILAR)**


**BRICK**  
SILASTOWN




**STUCCO**  
SCHEME B



**BOARD & BATTEN**  
SCHEME B



**BRICK**  
SILASTOWN (RUSTIC PATTERN)



**KEY PLAN**





**BUILDING 10 - REAR ELEVATION (BUILDING 11 - SIMILAR)**

**BRICK**  
SILASTOWN



**STUCCO**  
SCHEME B



**KEY PLAN**



**BUILDING 10 - SIDE ELEVATION (BUILDING 11 - SIMILAR)**

**FRENCH DOOR**  
DARK ANODIZED BRONZE

**VINYL WINDOW**  
DESERT SAND

**RAILING**  
DARK BRONZE

**VINYL WINDOW**  
DESERT SAND

**SLIDING DOOR**  
DARK ANODIZED BRONZE

**RAILING**  
DARK BRONZE



RECESSED BALCONY - FRENCH DOOR

PROJECTED BALCONY - SLIDING DOOR

**ENLARGED TYPICAL ELEVATIONS**

## BUILDING 2 & 3 - SOUTH ELEVATION



## BUILDING 5 & 6 - SOUTH ELEVATION



## OVERALL ELEVATIONS



## BUILDING 2 & 3 - NORTH ELEVATION




## BUILDING 6 & 5 - NORTH ELEVATION



## OVERALL ELEVATIONS





GARAGE (WITH CARWASH)



GARAGE (REAR)



GARAGE (TYPICAL)



BIKE PAVILION

## ELEVATIONS - TYPICAL GARAGES & BIKE PAVILLION




**CROSS SECTION - BUILDING 1-4**



**CROSS SECTION - BUILDING 2- ENTRY**




**CROSS SECTION - BUILDING 5 - FITNESS**



**CROSS SECTION - BUILDING 6 - ENTRY**



**CROSS SECTION - ROWHOUSE**



**BUILDING 1 & 4 - FIRST FLOOR PLAN**




**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016








**BUILDING 1 & 4 - TYPICAL FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 2- FIRST FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 2 - TYPICAL FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 3 - FIRST FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 3 - TYPICAL FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 5 - FIRST FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016






**BUILDING 5 - TYPICAL FLOOR PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC


August 23, 2016





**BUILDING 6 - FIRST FLOOR PLAN**





**BUILDING 6 - TYPICAL FLOOR PLAN**




**CARRAWAY VILLAGE** | CHAPLE HILL, NC


August 23, 2016



FIRST FLOOR




TYPICAL FLOOR




**BUILDINGS 7, 8, & 9 - FLOOR PLAN**



FIRST FLOOR



TYPICAL FLOOR



**BUILDINGS 10 & 11 - FLOOR PLAN**



PLAN NOT TO SCALE



# SITE LIGHTING PLAN



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016





KEY PLAN

### LEGEND

Statistics						
Description	Symbol	Avg	Max	Min	Max/Min	Avg/Min
Central Acorn Drive	+	0.9 fc	3.6 fc	0.2 fc	18.0:1	4.5:1
North Parking Lot	□	1.5 fc	4.8 fc	0.3 fc	16.0:1	5.0:1
South Acorn Drive	+	1.1 fc	3.9 fc	0.2 fc	19.5:1	5.5:1
Southeast Parking	◇	1.7 fc	5.9 fc	0.3 fc	19.7:1	5.7:1
Southwest Parking	✕	1.7 fc	5.6 fc	0.3 fc	18.7:1	5.7:1

PLAN NOT TO SCALE


## SITE LIGHTING PLAN



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016





**LEGEND:**

	PROPERTY LINE
	RIGHT-OF-WAY LINE
	YARD LIGHTS
	LIGHT POLE
	TRANSFORMERS
	LIMITS OF DISTURBANCE

**PLANT SCHEDULE LS-2**

TREES	BOTANICAL NAME
	Ilex opaca "Greenleaf"
	Lagerstroemia x "Natchez"
	Magnolia virginiana
	Quercus alba
	Quercus nuttallii
	Quercus pagodifolia
	Zelkova serrata "Village Green"
SHRUBS	BOTANICAL NAME
	Loropetalum chinense "Purple Diamond"
	Loropetalum chinense "Shang-hi"
	Prunus laurocerasus "Otto Luyken"
	Rhodolepis umbellata "Eleanor Tabor"

**LANDSCAPE NOTES:**

- CONTRACTOR IS RESPONSIBLE FOR THE SITE INSPECTION BEFORE LANDSCAPE CONSTRUCTION AND INSTALLATION IN ORDER TO BECOME FAMILIAR WITH THE EXISTING CONDITIONS.
  - LANDSCAPE CONTRACTOR IS RESPONSIBLE FOR LOCATING ALL UNDERGROUND UTILITIES BEFORE BEGINNING INSTALLATION. CONTRACTOR SHALL NOTIFY THE LANDSCAPE ARCHITECT OF ANY DISCREPANCIES BETWEEN THE NOTES, SPECIFICATIONS, DRAWINGS OR SITE CONDITIONS PRIOR TO INSTALLATION.
  - CONTRACTOR SHALL COMPLETE SOIL TEST IN ALL PLANTING AREAS TO DETERMINE SOIL AMENDMENT REQUIREMENTS. CONTRACTOR SHALL ADJUST PH AND FERTILITY BASED UPON THE SOIL TEST RESULTS. IN ADDITION TO OR PLACEMENT OF SOIL IS TO BE DONE PRIOR TO THE COMPLETION OF A SOIL TEST. TESTING SHALL BE PERFORMED BY A SUITABLE LABORATORY. NO PLANTING SHALL BEGIN UNTIL PROPER ADJUSTMENTS HAVE BEEN MADE. SOIL PH SHOULD BE BETWEEN 5.5 AND 7.5, CONTAINING A MINIMUM OF 4% AND A MAXIMUM SOIL ORGANIC MATTER.
  - PLANT MATERIALS ARE TO BE GUARANTEED FOR A PERIOD OF 12 MONTHS. PLANT MATERIALS WHICH REMAIN UNHEALTHY WILL BE REPLACED BY THE LANDSCAPE CONTRACTOR BEFORE THE EXPIRATION OF THE GUARANTEE PERIOD OR IMMEDIATELY IF SO DIRECTED BY THE OWNER'S REPRESENTATIVE OR LANDSCAPE ARCHITECT.
  - CONTRACTOR TO ENSURE PROPER STABILIZATION OF SLOPES AS REQUIRED.
  - CONTRACTOR TO CONTACT OWNER'S REP. FOR LOCATION OF EXISTING Boulders WITHIN SUBDIVISION FOR POSSIBLE USE IN PROPOSED PLANTING BEDS.
- MATERIALS:**
- LANDSCAPE MATERIAL SHALL BE WELL FORMED, VIGOROUS, GROWING SPECIMENS WITH GROWN TRUNKS OF VARIETIES SPECIFIED AND SHALL BE FREE FROM DAMAGE, INSECTS AND DISEASES. MATERIAL SHALL EQUAL OR SURPASS #1 QUALITY AS DEFINED IN THE CURRENT ISSUE OF "AMERICAN STANDARD FOR NURSERY STOCK" AS PUBLISHED BY THE AMERICAN NURSERY & LANDSCAPE ASSOCIATION, INC., WASHINGTON, D.C.
  - ALL PLANT MATERIAL IS TO BE CAREFULLY HANDLED BY THE ROOT BALL, NOT THE TRUNK, BRANCHES, AND/OR FOLIAGE OF THE PLANT. MISHANDLED PLANT MATERIAL MAY BE REJECTED BY THE LANDSCAPE ARCHITECT.
  - ALL PLANT MATERIAL IS TO BE WELL ROOTED, NOT ROOT BOUND, SUCH THAT THE ROOT BALL REMAINS INTACT THROUGHOUT THE PLANTING PROCESS. REJECT ALL CRACKED ROOT BALLS.
  - ANY LANDSCAPE MATERIAL WITHIN SITE TRIANGLES MUST MEET TOWN OF CHAPEL HILL STANDARDS FOR MAXIMUM PLANT HEIGHTS AND LABELING.

**EXECUTION:**

- TREES REQUIRING STAKING SHALL BE STAKED AND GUYED WIRED ON THREE SIDES. SEE DETAILS.
- ALL SHRUBS AND TREE PITS SHALL BE AMENDED WITH COMPOST. COMPOST SHALL BE APPLICABLE TO THE GEOGRAPHIC AREA OF INSTALLATION PER THE MANUFACTURER'S SPECIFICATIONS.
- ALL GROUND COVER AND PERENNIAL BEDS SHALL HAVE THE ABOVE MIXTURE FILLED INTO BED AREA TO A DEPTH OF 6".
- CONTRACTOR SHALL BE RESPONSIBLE FOR PROVIDING 2% POSITIVE DRAINAGE IN ALL PLANTING AREAS.
- ALL PLANTING BEDS AND TREE PITS SHALL BE MULCHED WITH A 3" LAYER OF TRIPLE SHREDED HARDWOOD MULCH.
- EXCAVATE EDGES OF ALL PLANTING BEDS TO 2" DEPTH TO FORM A NEAT AND CRISP DEFINITION.
- CONTRACTOR SHALL REMOVE DEBRIS AND FINE GRADE ALL AREAS FOR APPROVAL BY OWNER'S REPRESENTATIVE OR LANDSCAPE ARCHITECT.
- REMOVE GUY WIRES AND STAKES AT END OF GUARANTEE PERIOD.

**EROSION CONTROL NOTE:**

- EROSION AND SEDIMENT CONTROL MEASURES SHALL BE INSTALLED PRIOR TO ANY OTHER CONSTRUCTION ON THE SITE AND SHALL BE MAINTAINED UNTIL A PERMANENT GROUND COVER IS ESTABLISHED. SEE SHEET C-3
- SOIL EROSION PREVENTION METHODS THAT ARE DEEMED NECESSARY ON THIS SITE WILL BE INSTALLED AND MAINTAINED IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL ORDINANCES AND CODES.

**LANDSCAPE BUFFER PLAN**



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016





# Santa Rosa LED

Project Name:  
**CARRAWAY VILLAGE**


Catalog Number:

Type  
**P5**

# Santa Rosa LED



## Dimensional Drawings



Fixture	A	B	Max. Watts	Lbs
SRL-1	15"	29"	136 W	45

The **Santa Rosa** LED series lantern captures the look and feel of the Old West with turn-of-the-century styling. It bridges the era of the gas lamp into a new generation of style and sophistication, providing smooth, diffused illumination for safety and a beautiful lighting ambiance.

**Santa Rosa** comes standard with a textured glass lens and coated lamp for a symmetrical lighting distribution pattern.

Available in 16, 32 or 48 LEDs. A durable polyester powder coat finish is available in a wide array of architectural colors to enhance any design application.

The **Santa Rosa** lantern is ideal for street beautification projects, revitalization programs, parks and recreation areas, hotels, retail shopping areas, and many other areas where a more traditional look and feel is ideal.

### Housing

- Decorative cast aluminum housing in designed for post top or wall mount.
- All external hardware is stainless steel.

### Lens and Door Assembly

- Tempered, textured glass is standard. Optional clear or lightly diffused lenses are available for use with internal prismatic glass refractor. Fixture is sealed with premium silicone gasketing for complete weather and insect protection and is secured with galvanized lens retainers.

### Optical System

- Type I, II, III, IV, V or Type VW distribution Available.

### Quali-Guard® Finish

- Aluminum fixture components are chemically pretreated through a multiple-stage washer and finished with an electrostatically applied, thermoset polyester powder coat textured paint with a minimum of 3 to 5 mils thickness. Finish is oven-baked at a temperature of 400 °F to promote maximum adherence and finish hardness. All finishes are available in standard and custom colors.
- Finish is guaranteed for two (2) years.

### Mounting

- Santa Rosa** mounts over a 3-inch O.D. tenon to a wide selection of decorative and custom mounting arms for both pole and wall mount applications (see Decorative Arms section of catalog).

### Electrical Assembly

- The **Santa Rosa** LED series is supplied with a high-performance LED driver that accepts 120 V thru 480 V, 50 hz to 60 hz input. Power factor is 90%. Rated for -40 °F operation.
- 10 kV surge protector supplied as standard.

### Options

- Button Type Photocell
- Clear Lens
- Lightly Diffused Lens
- Internal Light Shield

### Listings


- Santa Rosa** is UL listed, suitable for wet locations.
- Powder Coated Tough™



### EPA Data

Fixture	Fixture Only	Fixture with VA115-S1	2 Fixtures with VA115-D2
SRL-1	2.2	3.4	6.6

### Typical Decorative Arms



Capital	Optics	Source	Milliamps	Kelvin	Voltage	Mounting	Finish	Options
SRL-1	Type I (T1)	# of LEDs 16 (16LC)	mA 350 (3)	4000K *Neutral white (4K)	120-277 *Universal voltage (UNV)	Post Top *Fits over 3" O.D. tenon (PT)	Bronze (BZ)	Button Type Photocell (PC120) (PC208) (PC240) (PC277)
	Type II (T2)	32 (32LC)	530 (5)	5000K *Cool white (5K)	480 (5)	Wall Mount (WM)	Black (BK)	Clear Lens (CL)
	Type III (T3)	48 (48LC)			347 (8)		White (WH)	Lightly Diffused Lens (LDL)
	Type IV (T4)						Forest Green (FG)	Internal Light Shield (ILS)
	Type V (T5)						Grey (GY)	
Type V-W (T5W)						Silver Metallic (SL)		
						Verdigris (VG)		
						Weathered Brown (WB)		
						Custom Color (CC)		

\*Wall Mount needs decorative mounting arm

5000 K Lumen Data \*All lumen data subject to change. Lumen Data updated 09.10.15

# LEDs	mA	Type 3	B	U	G	LPW	Type 5	B	U	G	LPW	Watts
16	350	1279	1	2	1	71	1375	1	2	1	76	18
	530	1760	1	2	1	68	1893	1	2	1	73	26
32	350	2574	1	2	1	74	2768	2	2	1	79	35
	530	3567	1	3	2	69	3835	2	3	2	74	52
48	350	3866	1	3	2	69	4157	2	3	2	74	56
	530	5376	1	3	2	67	5780	3	3	2	72	80

For more detailed information on mounting, wiring or installation instructions, please consult factory. If poles are not ordered with fixtures, please specify mounting requirements. This document contains proprietary information of Visionaire Lighting, LLC. Any use of this information requires the written approval of Visionaire Lighting, LLC. In keeping with our TQM policy of continuous improvement, Visionaire reserves the right to change any specifications contained herein without prior notice.

Visit [www.VisionaireLighting.com](http://www.VisionaireLighting.com) for up-to-the-minute chart information, including types not listed here.

\* For 4000K multiply values by 0.95

# SITE LIGHTING FIXTURES



**CARRAWAY VILLAGE** | CHAPLE HILL, NC

August 23, 2016

