

Town of Chapel Hill Planning and Development Services

Planning: 919-969-5066 <u>planning@townofchapelhill.org</u> Form Code: <u>www.townofchapelhill.org/bluehilldistrict</u>

Blue Hill Form District Permit Application

A Form Permit is required for all land distributing activity, as defined in LUMO 3.11.4.6.C.1.a, and any changes of use or change of type of occupancy of any land or structure as defined in LUMO 3.11.4.7.C.1.b, within the Blue Hill Form District as defined in LUMO 3.11.2. **Projects with multiple buildings must complete pages 3-4 for each building.**

Parcel Identifier Number(s) (PIN		9799343950,	9799340	759, 979	99340588	Date	e: 5/2/22
Section A: Proj	ject Iı	nformation					
Project Name:		Aura Blue Hill					
Property Addres	ss:	1289 Fordham Blvd				Zip Code:	27514
		Chapel HIII, NC					
Project Descript	ion: –	Mixed Use					
Section D. Ann	lican	t, Owner and/or C	ontract	Durcha	sor Informa	tion	
		(to whom correspon				tivii	
		Brown (Trinsic Res. G		iii be iiia	ineuj		
		Chapel Hill St					
City:	Durhar	n	State:	NC		Zip Code	: 27701
-	919-41	7-3051	Email:	JBrow	n@trinsicres.c	com	
			that, to t	he best	of his knowled	lge and belie	ef, all information supplied with
this application i	is true	and accurate.					
		Le o	34			Data	-12/2
Signature:	7	Just 2	Houn			Date: _	5/2/20
	t Puncl	haser Information:					
Owner				\boxtimes	Contract Purc	haser	
Name: T	rinsic f	Residential Group (F	kyan Stewa	art)			
Address: 3	321 E C	hapel Hill St					
City:	Durham	1	State:	NC		Zip Code:	27701
Phone:	919-88	84-7395	Email:	RStew	art@trinsicres.c	om	
application is true purposes of conduction Signature:	ue and		signed fui	rther au	thorizes Town		ormation supplied with this er the property(ies) for the
REV July 16, 2018							

NOTE All fields in sections C - G refer to this specific Development application submittal unless otherwise noted. All fields must be filled. Enter NA for information that is not applicable to this Development application submittal.

Section C: Project Sum	nmary		
Types of work proposed: (select all that apply)		
Addition	Change of Use	Demolition New Building	Street / Right of Way
Parking	Replace Building	Utilities Other:	
Zoning District	WX-7	Net Land Area (Sq. Ft.): Requirement 3.11.2.3&4.1	118,788.12 SF
Proposed Land Disturbance (Sq. Ft.):	165,963 SF	Gross Land Area (Sq. Ft): Refer to Standard 3.11.2.7.E	130,666.93 SF
Project Limits (Sq. Ft.)	165,963 SF	Proportion of residential floor area to non-residential floor area	89.99 % to 10.01 %

Requirement: 3.11.2.3&4-1 Standard: 3.11.2.7.F-G	Land Area (Sq. Ft.)		Proportion of floor area		Ratio		Space Required		Space Provided		Space met thru payment in lieu	PIL Note
Outdoor Amenity Space – all uses (NLA)	118,788 SF	х	1	х	.06	=	7,128	-	12,748	=	0	90% max
Active Recreation Space- residential (GLA)	131,445 SF	x	0.9	X	.08/ .12	=	14,196	•	17,424	=	0	50% min

	Existing (pre- construction)	Proposed Demolition	Proposed New	Net Total, As Proposed
	Floor Ar	ea, Dwelling Units	1	
Hospitality (Sq. Ft.)				
Office (Sq. Ft.)				
Retail (Sq. Ft.)	7,678	7,678	30,291	30,291
Residential (Sq. Ft.)	2,900	2,900	226,126	226,126
Institutional/Civic (Sq. Ft.)	7,200	7,200	0	0
Total Floor area (Sq. Ft.)	17,778	17,778	302,726	302,726
Total residential units	1	1	285	285
Affordable housing units				
		Site Data		
Number of Buildings	2	2	2	2
Vehicular parking	63	63	454	454
Bicycle parking	0	0	144	144
Impervious surface area (Sq. Ft.)	57,506	57,506	110,960	110,960
Impervious Surface (% of Net Land Area)	48.41%	48.41%	93.40%	93.40%
	Site	Improvements		
Public Streets (Linear Ft.)	0	0	0	0
Bike facilities (Linear Ft.)	0	0	200	200
Sidewalk (Linear Ft.)	0	0	635	635
Greenways (Linear Ft.)	0	0	885	885

Submit a copy of pages 3-4 / Sections D-F for each building proposed.

Building Info	rmation				
Building Address*	1289 Fordham Boulevard	Floor Area (sf)	302,726	Height (ft. & # of stories) Requirement: 3.11.2.3&4.3 Standard: 3.11.2.7.K	65' +/- 4/ 6 stories

^{*}Established Orange County Emergency-911 addresses. Contact the Planning office at (919) 969-5066 to establish an address.

Section D. Lot, Building Placement, Streetscape

Block Length: 450' maximum. **Block Perimeter:** 1800' maximum **Requirement:** 3.11.2.3&4.2 **Standards:** 3.11.2.7.C-D Measured from ROW line to ROW line, or property line where not abutted by ROW.

Setbacks & Build-To-Zone (BTZ) Requirements: 3.11.2.3&4.2 **Standards**: 3.11.2.7.-I. Setback and build to zone requirement applies to building face for Type A/B Frontages. Build-to-zone requirement is expressed as a percentage of lot width or project boundary width if project boundary is less than the lot width.

Streetscape Requirements: 3.11.2.5. Min average spacing for Canopy Tree Plantings is 40 ft. on center

Parking Location: 3.11.2.5 Except in vehicular way or below grade, parking must be 30 ft. behind facade for Type A-B.

Setback / Frontage Type	Setback (min/max)	BTZ	Ped Way Sidewalk	Ped Way Tree zone	Surface Parking	Hedge Zone	Street Sidewalk	Street Tree Zone
Front: Type A-1 Frontage	0 ft. / 10 ft.	.80 min.	10 ft. min.	8 ft. min	Surface	parking not	permitted	on Type A
Front: Type A-2 Frontage	0 ft. / 10 ft.	.60 min.	10 ft. min.	8 ft. min	Surface	parking not	permitted	on Type A
Front: Type B Frontage	0 / 20 / 85 ft.	.60 min.	8 ft. min.	8 ft. min.	60 ft. max.	5 ft. min.	6 ft. min,	8 ft. min
Side/Rear: Type C Frontage	5 ft. / NA	NA	6 ft. min.	8 ft. min.	NA	5 ft. min.	6 ft. min.	8 ft. min
Side/Rear: No Frontage	0 or 5 ft. / NA	NA	NA	NA	NA	NA	NA	NA

Site / Stre	etscape Element widths	Frontage 1	Frontage 2	Frontage 3	Frontage 4	
Direc	tion / Street Name	Fordham Blvd	Ephesus Church	Legion Road	Ackland Lane	
Setba	ck / Frontage Type*	В	A1	A2	A1	
Frontage W	idth (property line to line)	386'*	301'*	403'	348'	
	Block Length	311'	152'	526'	535'	
Lot	Block Perimeter	311'	152'	526'	535'	
	Building Façade Width	264'	83'	267'	263'	
Placement	% of façade in BTZ	68%	93%	76%	60%	
	Front Setback	18' - 20'	5'	2'	5.9' TO 11.9'	
Pedestrian	Sidewalk	N/A	N/A	N/A	N/A	
Way	Tree Planting Zone	N/A	N/A	N/A	N/A	
Vehicular	Parking Area	N/A	N/A	N/A	N/A	
Way	Hedge or Wall (36" min)	N/A	N/A	N/A	N/A	
C4	Sidewalk	12'	10'	12'	10'	
Streetscape	Tree Planting Zone	8'	8'	8'	8'	

^{*}List "wrapped" or corner lot application of frontages separately from the applicable base frontage according to Section 3.11.2.D.

Section E. Mass, Form

Step-back: 10' minimum step-back required for Type A/B Frontages where building is placed in first ten feet of the build-to-zone. **Requirement:** 3.11.2.3&4.3 Requirement does not apply to building elements that protrude from the building face as defined in section 3.11.2.6.A-F which are permitted to encroach into front setbacks and step-back zone.

Pedestrian Access. Required on Type A/B Frontages. 100' maximum spacing. Requirement 3.11.2.3-4 Standard: 3.11.2.7.Q

Building Form: Design and Transparency Requirements: 3.11.3&4.4 **Standards:** 3.11.2.7.M-P standards apply to street facing facades.

Pass Through: 330' maximum spacing. **Requirement:** 3.11.2.3&4.1 **Standards:** 3.11.2.7.S. Requirement applies to each building face, measured from end of façade to end of façade.

	Ground Story Ceiling height			Ground Floor Elevation (max)	Ground Story Transparency		
Residential	9 ft. min.	9 ft. min.	2 ft.	4 ft.	.20 min.	.20 min.	50 ft.
Non-Residential	13 ft. min.	9 ft. min.	0 ft.	2 ft.	.60 min.	.20 min.	30 ft.

Mass / Form Requirements	Frontage 1	Frontage 2	Frontage 3	Frontage 4	
Direction / Street Name	Fordham Blvd	Ephesus Church	Legion Road	Ackland Lane	
Ground Story Use (Res or Non-Res)	вотн	NON-RES	NON-RES	вотн	
Ground Story Ceiling Height (ft.)	13'-0" (NON-RES)	13'-0" (NON-RES)	13'-0" (NON-RES)	13'-0" (NON-RES)	
Upper Story Ceiling Height (ft.)	9'-0" (RES)	9'-0" (RES)	9'-0" (RES)	9'-0" (RES)	
Ground Floor Elevation min (ft.)	0' (NON-RES) 2' (RES)	0' (NON-RES) (RES)	0' (NON-RES)	0' (NON-RES) 2' (RES)	
Ground Floor Elevation max (ft.)	2' (NON-RES) 4' (RES)	1' (NON-RES)	2' (NON-RES)	2' (NON-RES) 2' (RES)	
Ground Story Transparency (%)	55%	55%	67%	55%	
Upper Story Transparency (%)	31%	31%	33%	31%	
Blank Wall Area max (linear ft.)	64'	59'	64'	31'	
Entrance Spacing max (ft.)	73'-4"	124'-9"	143'-7"	N/A	
Passthrough spacing (ft.)	N/A	N/A	N/A	N/A	

Section F. Permitted Use	es			
Proposed Use(s) 3.11.3.4	Use Key: P = Permitted, S = Special	Square footage	Floors	
NON-RESIDENTIAL	Р	30,291	GROUND FLOOR	
RESIDENTIAL	Р	272,435	FLOOR 1-6	

Section G. Parking							
Vehicle Parking*	Required Ratios		Proposed	Required	Spaces	Proposed	
3.11.4.1.C	Parking ratio (min)	Parking ratio (max)	Units or Floor Area	Parking Spaces (min)	Parking Spaces (max)	Spaces	
Attached, multi-family residential Efficiency, 1 bedroom	1 / unit	1.25 / unit	209	209	261	209	
Attached, Multi-family residential-2 bedrooms	1.25 / unit	1.75 / unit	56	70	98	70	
Attached, Multi-family residential- 3 bedrooms	1.5 / unit	2.25 / unit	20	30	45	30	
Attached, Multi-family residential- 4+ bedrooms	1.67 / unit	2.5 / unit	0	N/A	N/A	N/A	
All Group Living	1 / 4 beds	1 / 2 beds	0	N/A	N/A	N/A	
Civic / Place of Worship	1 / 500 sf of floor area	1 / 350 sf of floor area	0	N/A	N/A	N/A	
All Commercial uses, except as noted below	1 / 300 sf of floor area	1 / 200 sf of floor area	30,291	101	152	145	
Overnight Lodging	0.9 / lodging unit	1.25 / lodging unit	0	N/A	N/A	N/A	
Restaurant/bar	1 / 110 sf of floor area	1 / 75 sf of floor area	0	N/A	N/A	N/A	
TOTAL PARKING				410	556	454	

^{*}Refer to sections 3.11.4.C.1 and 5.9.3 for allowable reductions to minimum parking requirement.

Bicycle Parking	Required	Ratios	Proposed	Require	d Spaces	Proposed Spaces		
3.11.4.1.C	Min parking ratio	Short Term / Long Term	Units or Floor Area	Short Term	Long Term	Short Term	Long Term	
Attached, Multi-family residential (all)	1 / 2 units	20% / 80%	285	28	115	28	116	
All group living	1 / 4 beds (4 min)	10% / 90%	0	N/A	N/A	N/A	N/A	
Civic/ Place of Worship	1 / 5000 sf of floor area (4 min)	80% / 20%	0	N/A	N/A	N/A	N/A	
All Commercial uses, except as noted below	1 / 2500 sf of floor area (4 min)	80% / 20%	30,291	10	3	10	3	
Overnight Lodging	1 / 15 lodging units (4 min)	20% / 80%	0	N/A	N/A	N/A	N/A	
Restaurant/bar	1 / 1000 sf of floor area (4 min)	80% / 20%	0	N/A	N/A	N/A	N/A	
TOTAL PARKING				38	118	38	119	

Green Building Incentive

All projects in the Ephesus-Fordham district qualify for a Green Building Incentive whereby projects receive a 35% rebate of building permit fees for complying with the terms of the incentive. **Details:** http://chplan.us/efgreenbuilding

Opt-out: We have evaluated the Town's Green Building Incentive for this project and choose to opt out for the following reasons:

Submittal Requirements

The following must accompany your application. Failure to do so will result in your application being considered incomplete.



Application fee	(refer to fee schedule)
------------------------	-------------------------

Existing Recorded Documents — Refer to Section 1

Supplemental Documentation — Refer to Section 2

Stormwater Management Plan and Report — Refer to Section 3

Plan Sets - Refer to Section 4

Total \$	153,308.50	
Application Fee \$	151,350	
Engineering Review \$	1,833.50	
Fire / Life Safety \$	125	

App Calc = \$12,235 + \$50/100 SF = \$12,235 + \$50 x 3,027 SF = \$151,350 Eng. Rev. = \$500 + \$350 x 3.81 AC = 1,833.50

Single JPEG Image of Building Elevation / Perspective — for use on application webpage

Submit all Town Staff copies to the Development Services Desk on the 1st Floor of Town Hall.

Submit External Agency copies <u>directly</u> to those agencies listed on the next page.

Weekly Submittal Deadline (new and resubmittals): Thursdays, 12 noon.

	First Submittal:	Town Staff	External
			Agencies
	Complete set of documents required in sections 1-3		No copies
	Transmittal Sheet (Confirm External Agency submittal on Town submittal)	1 сору	1 per agency
Plan Set Packets, to include the following:		10 copies	1 per agency
	1. Project Fact Sheet (portion filled out by applicant; 4-9 pages)		
	2. Plan sets, with the following requirements:		
	 Coversheet with project name, location, contact info, contents 		
	 Each sheet must be numbered and titled according to contents 		
	 Folded, collated plans are preferred, when possible. 		
Elect	Electronic Files, to include the following:		No copies
	One for each document required on application form		
	2. One file for each plan sheet, name must match page title/number		
	3. One "bundled" plan set file. If this file exceeds 20MB, also submit multiple		
	files with a size no larger than 20MB for application website.		

	All Subsequent Submittals		Town Staff	External
Y				Agencies
	Same requirements as above.	* Confirm number of plan sets with Planner	See above	See above
	Comment Response Letter		10 copies*	1 per agency
	Plan sets must include revision dates on each revised sheet			
	Changes must be bubbled, called out, listed or otherwise noted.			

External Contacts – <u>Applicants MUST send a copy of plans directly to OWASA, NCDOT, and Orange County Erosion</u> <u>Control upon submittal of application.</u>

OWASA (Water / Sewer):

Nick Parker 400 Jones Ferry Rd Carrboro, NC 27510

919-537-4201

NParker@owasa.org

NCDOT

Chuck Edwards / DeAngelo Jones Physical: 115 E. Crescent Square Dr.

Mailing: PO Box 766 Graham, NC 27253-0766 <u>cnedwards@ncdot.gov</u> djjones1@ncdot.gov **Orange County Erosion Control**

Steve Kaltenbach

Physical: 131 W. Margaret lane

Mailing: PO box 8181 Hillsborough, NC 27278

skaltenbach@orangecountync.gov

CAPS:*

Catherine Mau Chapel Hill-Carrboro City Schools 919-967-8211 X2894

cmau@chcss.k12.nc.us

Contacts for Utilities:**

AT&T (Telephone / Cable)

Send request email to:

Att.nc.private.row@att.com

Google (Fiber)

https://fiber.google.com/properties/

Spectrum (Telephone / Cable)

Tony Jordan 919-573-7077 Tony.jordan@twcable.com **Duke Energy Carolinas (Electric):**

Development Planning

1-800-454-3853

http://www.dukeenergy.com/builders -developers/developmentplanning.asp

PSNC (Gas):

Property & Building 1-888-547-1288

psncbuildergroup@scana.com

https://www.psncenergy.com/for-my-business/property-building/builders-

contractors

1. Existing Recorded Documents

- a) HOA Documents
- b) Utility Easements
- c) ROW Plats
- d) Access Easements
- e) Drainage Easements
- f) Any other applicable easements or documents

2. Supplemental Documents

- a) Written Narrative with the following elements
 - 1) General description of developer's program
 - 2) Statement of compliance with intent of Form District regulations and regulating plan (LUMO 3.11)
 - 3) Description and analysis of adjacent land uses, roads, topography, soils, drainage patters, environmental constraints, environmental features, and existing vegetation
- b) Certificate of Adequate Public Schools or request to the school district.
- c) Utility Clearance Letters / Service Availability Letters
- d) Solid Waste Management Plan Application (Orange County Solid Waste)
- e) Stream Determination
- f) Jurisdictional Wetland Determination
- g) Jordan Buffer Authorization Application, Certificate, or Mitigation Plan Approval (if applicable)
- h) Fire Flow Report refer to Town Design Manual for specifications (Signed and sealed by a licensed P.E.)

^{*}All residential projects require a Certificate of Adequate Public Schools (CAPS). Contact CHCCS to request a CAPS.

^{**}The Town does not coordinate plan review with these utilities unless they maintain an easement across the property. If utility relocations are required, provide a letter indicating the utility's approval of the relocation. Check with each utility regarding requirements for development planning and Utility Clearance and/or Service Availability Letters.

3A. Stormwater Management Plan (signed and sealed by a North Carolina registered Professional Engineer

- a) Topography (2-foot contours)
- b) Existing roof drain locations, stormwater conveyance system, structures and surface drainage patterns with flow direction arrows
- c) Proposed roof drain locations, stormwater conveyance system, structures and surface drainage patterns with flow direction arrows
- d) Location of stormwater management structures, including dimensions. Provide seasonal high water table elevations.
- e) Stormwater management structure details, cross-sections and construction notes
- f) Planting and final stabilization plans and specifications
- g) Stormwater management structure and drainage easements, as required
- h) Proposed outfall locations and outlets structure dimensions and details
- i) Erosion and sediment control measures, including details (e.g., inlet protection, silt fence, steep slope protection and permanent stabilization specifications

3B. Stormwater Management Report (signed and sealed by a North Carolina-registered Professional Engineer

- a) Stormwater design and site summary form
- b) Written narrative describing:
 - 1) Existing & proposed conditions,
 - 2) Pertinent onsite and offsite drainage conditions,
 - 3) Anticipated stormwater impacts
 - 4) Discussion of structural and non-structural BMPs and strategies chosen to mitigate development impacts that will be part of the stormwater management plan
 - 5) Soils information (classification, infiltration rates, depth to groundwater and bedrock)
- c) Pre-development and post-development drainage maps clearly labeled and showing delineated drainage subbasins; connectivity of conveyance system and stormwater structures; points of analysis and time of concentration (tc) flow paths (may be included in plan set)
- d) Hydrology calculations, to include:
 - 1) Summary table of total land areas, land uses and areas (in square feet) within each drainage basin, soil types, curve numbers/runoff coefficients for each land use, Basin ID, and source of values used
 - 2) Time of concentration calculations
 - 3) Peak discharge calculations documenting results shown in summary table (See b above)
- e) Hydraulic calculations, to include
 - 1) Water quality volume calculations for providing 85% TSS removal for post-development stormwater runoff
 - 2) BMP sizing calculations, including stage-storage-discharge information and drawn down calculations
 - 3) Routings and hydrographs
 - 4) Pipe sizing calculations and schedule (including HGL & EGL calculations and profiles)
 - 5) Channel sizing calculations
 - 6) Outlet dissipater and spillway sizing calculations
 - 7) Jordan Lake Stormwater Load Accounting Tool, if required, printed on 11x17 paper
- f) Draft Operations and Maintenance Plan for each stormwater management structure

4. 24x36 Plan Sets

Plans must be legible and clearly drawn. Elements indicated below may be contained on as many or as few sheets as necessary to legibly show all required information. All plan sheets should include the following information:

- a) Project name, designer information, site address, etc...
- b) Legend
- c) Labels
- d) North Arrow (North oriented to top of page where practical)
- e) Property Boundaries with bearing and distances. Include project and phasing boundaries where applicable.
- f) Scale (Engineering), denoted graphically and numerically
- g) Setbacks
- h) Streams, Jordan Riparian Buffer Boundary, Floodplain, and Wetlands Boundary, where applicable
- i) Revision dates and professional seals and signatures as applicable

Cover Sheet

- a) Include project name, address, PIN, Design Team and contact information, Owner/applicant information
- b) Site data block with the following information showing requirements and proposed:
 - 1) zoning information district, height limit, setbacks, build to zone distance
 - 2) Project area net and gross land area, project boundary area (if different), limits of disturbance, impervious surface, recreation and outdoor amenity space. Separate any areas included offsite (I.e. in ROW).
 - 3) Floor area, unit count and vehicular and bike parking.
- c) Area Map
 - 1) Dedicated open space, parks, greenways
 - 2) Zoning district boundaries
 - 3) Property lines, land uses, project names of site and surrounding properties, significant buildings, corporate limit lines
 - 4) Existing roads (public and private), rights-of-way, sidewalks, driveways, vehicular parking areas, bicycle parking, handicapped parking, street names.

Existing Conditions

- a) Slopes, soils, environmental constraints, existing vegetation, and any existing land features
- b) Existing structures, building designations, uses, and impervious surfaces
- c) Existing property line and right-of-way lines
- d) Existing utilities & easements including location of water, sewer, electrical, & drainage lines and refuse facilities.
- e) Existing bus shelters and transit facilities within 100' of subject property's boundary
- f) Existing topography at minimum 2-foot intervals and finished grade
- g) Existing structures within 15 feet of the subject property's boundary (identify structure use)

Proposed Site Conditions

- a) Proposed structures and existing structures to remain, including all impervious surfaces such as roofs, driveways, and sidewalks. Include all proposed building elements
- b) Dimensioned rights-of-way and width,
- c) location of all vehicle entrances, exits, and drives
- d) Location, arrangement, & dimension of vehicular parking, with of aisles and bays, angle of parking, number of spaces, handicapped parking. Location, arrangement, and dimension of bicycle parking with detail drawing.
- e) Proposed transit improvements including any bus pull-offs and bus shelters as applicable
- f) Refuse collection facilities

Zoning Plan Sheet(s)

- a) Proposed structures and existing structures to remain, including all impervious surfaces such as roofs, driveways, and sidewalks. Include all proposed building elements noted in section 3.11.2.6
- b) Dimensioned proposed rights-of-way and width. Include frontage designation as applicable.
- c) Dimensioned proposed Public Right of Way and Utility Easements (public access easements)
- d) Proposed lot lines for recombination and subdivision as applicable
- e) Show blocks and call out block length distances per section 3.11.2.3&4.1
- f) Show location of pass-throughs and building entrances; call out dimensions and spacing per section 3.11.2.3&4.2,4
- g) Location of all vehicle entrances, exists, and drives, parking areas.
- h) Location of bike parking. Call out distance to building entrances per 3.11.4.1.E.3-4
- i) Show setback line, build-to-zone line. Call out width of each (i.e. minimum, maximum, and proposed setback)
 - 1) Provide calculation of building façade in build-to-zone as percentage of lot width or project boundary, if different per section 3.11.2.3&4.2.
 - 2) Call out dimensions of forecourts and outdoor dining areas.
 - 3) Identify unbuildable areas as defined in section 3.11.4.8
- j) Show frontage streetscape elements and call out widths per section 3.11.2.5.
 - 1) Call out width of each element and total for each zone
 - 2) Call out sidewalk clear area. Include a plan note that reads as follows "Improvements, structures, fixtures, signs, tables, chairs, planters, or any other object shall not be placed in the clear area for any period of time"
 - 3) Call out and a total width for the vehicular way, as applicable.
 - 4) Provide cross sections of each frontage. Provide additional cross sections for "wrapped" corner lot frontage application and in areas where elements differ from the rest of the frontage i.e. wider sidewalk or tree zone.
- k) Show areas being used to satisfy Recreation space and Outdoor Amenity Space. Provide tally in square feet.
- I) Show limits of disturbance and total area of land disturbance in square feet.

Grading and Erosion Control

- a) Topography (2-foot contours)
- b) Cut and fill lines
- c) Cross-sections with roadways
- d) Detailed drawings of infrastructure (SCMs, curb inlets, infiltration systems, erosion control etc.)
- e) Limits of disturbance and tally
- f) Pertinent off-site drainage features
- g) Existing and proposed impervious surface tallies
- h) Ground cover
- i) Spot elevations when necessary
- j Size calculations

Utilities

- a) Indicate location and size of water, sewer, electric, cable, telephone, gas and fire safety apparatus, including fire hydrants. Indicate existing vs proposed and whether electric, cable, and telephone lines are above ground. Provide vertical profiles of underground utilities and clearance with other utilities.
- b) Show drainage lines and features
- c) Fire Flow Report (See section 3): for a fire hydrant within 500 feet of each building, provide the calculated gallons per minute of residual pressure is 20 pounds per square inch. The calculations should be sealed by a licensed professional engineer in North Carolina and accompanied by a water supply flow test conducted within one year of the submittal (see Town of Chapel Hill Design Manual for required gallons per minute)

Construction Management

- a) Proposed location for where construction workers will park. Designate space for vehicle for enforcement staff
- b) Proposed location of receptacles
- c) Post construction finalization details
- d) Proof of temporary parking permits (if applicable)
- e) Construction staging, laydown areas, storage area, and construction trailer location
- f) Location of temporary construction fencing (if applicable)
- f) Work zone traffic control plans, including MUTCD compliant signage, for vehicles and pedestrians. Show alternate pedestrian routes.
- g) Lane closure permit standard note "Prior to any traffic lane and/or sidewalk closures, the applicant shall contact the Town's Traffic Engineering office (919-969-5096 or 919-969-5100) at least 5 working days before the proposed work to apply for a lane closure permit"

Landscape Protection

- a) Rare, specimen, significant tree, and significant tree stand survey within 50 feet of construction area
- b) Rare and specimen tree critical root zone
- c) Rare and specimen trees proposed to be removed
- d) Certified arborist tree evaluation, if applicable
- e) Clearing limit line this should be coterminous with the limits of disturbance
- f) Proposed tree protection / silt fence location
- g) Pre-construction / demolition conference standard note
- h) Detail of tree protection fencing
- j) Landscape protection supervisor note

Streetscape

- a) To be prepared in accordance with form district code, design manual, and Duke Energy standards
- b) Proposed location of street lights and underground utility lines and/or conduit lines to be installed
- c) Description and/or detail of proposed light poles, fixture, watts, lumens, and spacing
- d) Streetscape proposed improvement plan
- e) Streetscape proposed pavement/sidewalk details
- f) Streetscape proposed furnishing details
- g) Streetscape proposed lighting details

Landscape, including required parking lot landscaping and utility screening

- a) Dimensioned and labeled tree zones, hedge zones, and residential buffer if applicable
- b) Streetscape plantings
- c) Parking lot screening and shading plantings
 - 1) perimeter screening plantings and width of screening zone per section 3.11.2.4.C.2
 - 2) Interior Islands, include plantings, island dimensions and note spacing requirements per section 3.11.4.2.C.3
 - 3) Median Islands per 3.11.2.4.2.C.4-5
 - 4) Dimensioned tree distance circles demonstrating compliance with section 3.11.4.2.C.6
- d) Plantings screening utilities per section 3.11.4.2.E.4-5, as applicable
- d) Detailed composite plant list with installation sizes
- e) Landscape installation details and maintenance plan

Solid Waste

- a) Existing and proposed dumpster pads
- b) Proposed dumpster pad layout design
- c) Proposed dumpster pad construction section
- d) Proposed dumpster pad protective bollard, screening wall, and gate details per section 3.11.4.2.E.1
- e) Proposed heavy duty pavement locations and pavement construction detail
- f) Existing pavement damage waiver note
- h) Refuse facility lighting plan

Detailed Exterior Building Elements

- a) Elevations provide a straight-on, one dimensional view of each building façade including front, side, and rear elevations. Show and label materials and provide legend. Include all building elements defined in section 3.11.2.6, and all architectural elements used to screen utilities per section. Call out heights per section 3.11.2.7.
- b) Material table with calculations. For each façade provide the following information to demonstrate compliance with Building Materials section 3.11.2.7.P and Transparency sections 3.11.2.3&4.4 and 3.11.2.7.M
 - 1) square footage of façade
 - 2) required square footage and percentage of primary / secondary materials
 - 3) proposed square footage and percentage of primary / secondary materials
 - 4) required square footage and percentage of transparency for street facing facades only
 - 5) proposed square footage and percentage of transparency for street facing facades only
- c) Typical drawings for proposed building elements. For each element proposed, demonstrate compliance with Section 3.11.2.6.A-F, as applicable showing widths, depths, heights, distance to lots lines, encroachments into setback, right-of-way, or step-back zone, with respect to requirements. Provide data block with applicable requirements.
- d) Site Cross-Sections: Provide simple, typical cross-section(s) indicating how the buildings are placed on the site in relationship to topography, public access, existing vegetation, or other significant site features. Label dimensions
- e) Building Cut Sections: provide cut sections demonstrating compliance with ground floor elevation and story height requirements in sections 3.11.2.3&4.3-4 and 3.11.2.7.K-L
- f) Floor Plans: Show the general interior layout of the building (demonstrate compliance with section 3.11.2.7.M.6 and 3.11.2.7.O) and the relationship of pedestrian circulation and entryways. Label dimensions.
- g) Utilities: indicate location of all utilities and mechanical equipment and show screening per section 3.11.4.2.E.3-5

Lighting Plan

- a) Site Lighting Plan: A detailed lighting plan for all proposed lighting fixtures on the site (including parking areas, pedestrian paths, building facades, landscape up lighting, etc.). The lighting plan should clearly indicate the locations of all light fixtures. The lighting plan shall also provide isographs with foot-candle and uniform ratios, candlepower of lamps, and types of illumination for all proposed lighting fixtures. The isographs shall be provided for the full extent of the site lighting (to the point where the lighting reaches 0.0 foot-candles), even if this includes off-site areas. The isograph shall be calculated with 100% lighting, and shall also identify and incorporate a site's topography.
- b) Cut Sheets: A detailed drawing and description shall be provided for each type of light fixture proposed on the site. The number, height, colors and materials for each type of fixture shall be clearly indicated. Demonstrate compliance with section 3.11.4.5.E-G
- c) Please note that in accordance with Section 3.11.4.5 (Site Lighting) of the Town's Land Use Management Ordinance, lighting sources shall be shielded or arranged so as not to produce, within any public right-of-way, glare that interferes with the safe use of such right-of-way or constitutes a nuisance to the occupants of adjacent properties.

Roadway Design Plan, if applicable

- a) Horizontal alignment with curve data (if applicable)
- b) Vertical alignment (profile, curve length, grades, k-values, PVI stations)
- c) Typical street cross-section
- d) Cut and fill limits on topography
- e) Intersection curb radii
- f) Driveway locations and widths
- g) Sight distance triangles at intersections
- h) Geotechnical analysis (if applicable)
- i) Right-of-way widths
- j) Easements
- k) Drainage facilities (materials used, slopes, invert elevations, HGL, spread/intercepted flow, pipe & channel size calculations for 10 and 25-year storm, pertinent off-site drainage features
- I) Work zone traffic control plan
- m) Pavement removals/demolitions
- n) Traffic Calming Plan detailed construction designs of devices proposed & associated sign & marking plan
- o) Traffic Sign, Street Name Sign, and Pavement Marking Plan in accordance with Manual on Uniform Traffic Control Devices. Street name signs in accordance with Town of Chapel Hill standards
- p) Traffic Signal Plan in accordance with Manual on Uniform Traffic Control Devices and NCDOT traffic signal design standards (prepared by licensed professional engineer), if applicable