



PAVEMENT DESIGN
3" SF9.5A (SEE NOTE 6)

**NOTES:**

1. UTILITY STRIP WIDTH MAY VARY DEPENDING ON APPROVED LANDSCAPING DESIGN.
2. ALTERNATIVE PAVEMENT DESIGNS MAY REQUIRED BASED UPON SITE - SPECIFIC SOIL AND DRAINAGE CONDITIONS.
3. ADDITIONAL RIGHT-OF-WAY MAY BE REQUIRED FOR UTILITY INSTALLATION.
4. ADDITIONAL TRAVEL LANE WIDTH MAY BE REQUIRED ON STREETS EXPECTED TO CONVEY HIGH TRAFFIC VOLUMES AND/OR TRUCK TRAFFIC.
5. ADD 9" (MINIMUM) OF ADDITIONAL PAVEMENT WIDTH IF TURN LANE IS REQUIRED.
6. AGGREGATE BASE COURSE THICKNESS SHALL BE 8" IN TYPE I AREA; 10" IN TYPE II AREA.



DATE: 02/2017

**TOWN OF CHAPEL HILL  
STANDARD DETAIL**

REVISIONS


**LOCAL STREET  
(WITH ON-STREET  
PARKING)**

**T-14.01**

" NOT TO SCALE "