
101-111 ERWIN ROAD MIXED USE

VICINITY MAP (1"=500')



CONCEPT PLAN

CHAPEL HILL, NC

APRIL 25, 2018 **REVISED MAY 18, 2018** REVISED JULY 24, 2018

CLIENT

SUMMIT HOSPITALITY, LLC RALEIGH, NC 27612

SHEET INDEX			
SHEET NO.	SHEET NAME	MOST CURRENT REVISION DATE	
C1.0	AREA MAP	05/18/2018	
C1.1	EXISTING CONDITIONS PLAN	05/18/2018	
C2.0	OVERALL SITE LAYOUT PLAN - CONCEPT B	07/24/2018	
C2.1	SITE LAYOUT PLAN - CONCEPT B	07/24/2018	
C3.0	OVERALL SITE LAYOUT PLAN - CONCEPT A	05/18/2018	
C3.1	SITE LAYOUT PLAN - CONCEPT A	05/18/2018	




Chapel Hill NC 27516





PO Box 810 | Rolesville, NC 27571 919-435-6395 NCBELS License P-0751


PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION


City Planning and Land Development Consultants











2-YEAR STORMWATER VOLUME SUMMARY			
	PRE-DEVELOPMENT	POST-DEVELOPMENT	
SITE AREA	336,359 SF		
IMPERVIOUS AREA	14,142 SF	157,811 SF	
CURVE NUMBER	79	88	
2-YR 24-HR RUNOFF VOLUME	1.058 AC-FT (46,086 CF)	1.519 AC-FT (66,167 CF)	
2-YR 24-HR VOLUME INCREASE	0.461 AC-FT (20,081 SF)		

ONSITE IMPERVIOUS AREA SUMMARY			
AREA TYPE	PRE-DEVELOPMENT	POST-DEVELOPMENT	
ROADS	0 SF	43,780 SF	
SIDEWALK	0 SF	14, 263 SF	
HOUSE FOOTPRINTS	4,936 SF	80,820 SF	
DRIVEWAY	9,206 SF	18,948 SF	
TOTALS	14,142 SF	157,811 SF	

NOTE: IMPERVIOUS FOR POST-DEVELOPMENT HOUSE FOOTPRINTS INCLUDES ALL DECKS, PORCHES, PATIOS ETC. INSIDE THE BUILDING ENVELOPE THAT CONTRIBUTE IMPERVIOUS AREA

ANALYSIS POINT #1 - RUNOFF SUMMARY			
	PRE-DEVELOPMENT	POST-DEVELOPMENT	
DRAINAGE AREA	119,484 TO POND	290,311 SF TO POND	
	44,565 POND BYPASS	20,820 SF POND BYPASS	
CURVE NUMBER	77 TO POND AND	89 TO POND	
	POND BYPASS	80 POND BYPASS	
TIME OF CONCENTRATION	13.1 TO POND	5.0 MIN. TO POND	
	15.7 POND BYPASS	5.0 MIN. POND BYPASS	
1-YEAR 24-HOUR RUNOFF	1.3 CFS	1.2 CFS	
2-YEAR 24-HOUR RUNOFF	2.2 CFS	1.8 CFS	
25-YEAR 24-HOUR RUNOFF	7.4 CFS	5.6 CFS	

1. PRE-DEVELOPMENT AND POST-DEVELOPMENT DRAINAGE AREAS INCLUDE OFFSITE AREA
2. THE 1-YEAR 24-HOUR RUNOFF IS 80% OF THE 2-YEAR 24-HOUR RUNOFF


ANALYSIS POINT #2 - RUNOFF SUMMARY				
	PRE-DEVELOPMENT	POST-DEVELOPMENT		
DRAINAGE AREA	119,484 TO POND	27,406 SF (ALL BYPASS)		
	155,041 POND BYPASS			
CURVE NUMBER	77 TO POND	80 (ALL BYPASS)		
	81 POND BYPASS			
TIME OF CONCENTRATION	13.1 TO POND	5.0 MIN. (ALL BYPASS)		
	5.0 POND BYPASS			
1-YEAR 24-HOUR RUNOFF	7.9 CFS	1.3 CFS		
2-YEAR 24-HOUR RUNOFF	11.9 CFS	2.0 CFS		
25-YEAR 24-HOUR RUNOFF	28.1 cfs	4.7 CFS		

1. PRE-DEVELOPMENT AND POST-DEVELOPMENT DRAINAGE AREAS INCLUDE OFFSITE AREA 2. THE 1-YEAR 24-HOUR RUNOFF IS 80% OF THE 2-YEAR 24-HOUR RUNOFF

ANALYSIS POINT #3 - RUNOFF SUMMARY				
	PRE-DEVELOPMENT	POST-DEVELOPMENT		
DRAINAGE AREA	44,457 SF	7,619 SF		
CURVE NUMBER	82	80		
TIME OF CONCENTRATION	5.0 MIN.	5.0 MIN.		
1-YEAR 24-HOUR RUNOFF	2.4 CFS	0.4 CFS		
2-YEAR 24-HOUR RUNOFF	3.5 CFS	0.6 CFS		
25-YEAR 24-HOUR RUNOFF	7.9 CFS	1.3 CFS		

1. PRE-DEVELOPMENT AND POST-DEVELOPMENT DRAINAGE AREAS INCLUDE OFFSITE AREA
2. THE 1-YEAR 24-HOUR RUNOFF IS 80% OF THE 2-YEAR 24-HOUR RUNOFF


NOTE: INFORMATION ON THIS PAGE WAS DEVELOPED BY DAVID WEEKLEY HOMES FOR A PRIOR APPLICATION ON THIS SITE AND FURTHER USE OF THIS INFORMATION WILL BE SUBJECT O A FUTURE AGREEMENT BETWEEN DAVID WEEKLEY HOMES AND SUMMIT





SCALE: 1"=60' PRELIMINARY DRAWING - NOT RELEASED FOR CONSTRUCTION


OXFORD RESERVE SPECIAL USE PERMIT

C4.2










1ST FLOOR - BUILDING TYPE "A"

Preliminary Conceptual Floor Plate




J Davis Architects

Raleigh NC & Philadelphia PA

1ST FLOOR - BUILDING TYPE "B"

Preliminary Conceptual Floor Plate



J Davis Architects

Raleigh NC & Philadelphia PA

